

GURG



Características: Difusores de boquillas orientables en panel rectangular.

Construcción: placa de acero, marco de aluminio, boquillas de nailon blanco.
Acabado: blanco RAL 9016 mate.

Fijación: instalación mediante orificios para tornillos, clips bajo pedido.

Accesorios:

- Plenum de acero galvanizado:
 - Con o sin aislamiento.
 - Con o sin ecualizador.
- Compuerta de calibración de acero galvanizado con aletas de funcionamiento contrapuesto.
- Contramarco de montaje de acero galvanizado.

Characteristics: diffusers with adjustable nozzles arranged on a rectangular panel.

Finishing: steel plate, aluminium frame, white nylon nozzles. Finish: white RAL 9016 matt.


Fixing: installation by screw holes, clips on request.

Accessories:

- Galvanized steel plenum box:
 - With or without insulation.
 - With or without air equalizer.
- Calibration damper made of galvanized steel with opposed blades.
- Mounting frames made of galvanized steel sheet.

DIBUJOS | DRAWINGS

GURG



- 1 Ø 3,5 orificio avellanado | Countersunk hole
- 2 Dimensiones del orificio | hole size
- 3 Distancia entre ejes de las boquillas | Interaxis nozzles

PLENUM | PLENUM






TABLA DE SELECCIÓN | TECHNICAL DATA

Modelo Model	Número de boquillas Number nozzles	Q [m³/h]		L _{WA} [dB(A)]		X _(0,25) -Y _(0,25) [m]		Dp _t [Pa]	
		mín	máx	mín	máx	mín	máx	mín	máx
275x150	2	30	110	28	44	4,5	10,5	10	65
275x275	4	60	230	30	47	5,4	19,6	10	65
275x400	6	90	340	33	54	6	22,5	10	65
400x150	3	40	170	28	44	4,5	10,5	10	65
400x275	6	90	340	30	47	5,4	19,6	10	65
400x400	9	130	510	33	54	6	22,5	10	65
525x150	4	60	230	28	44	4,5	10,5	10	65
525x275	8	110	460	30	47	5,4	19,6	10	65
525x400	12	170	690	33	54	6	22,5	10	65
650x150	5	70	230	28	44	4,5	10,5	10	65
650x275	10	140	570	30	47	5,4	19,6	10	65
650x400	15	210	860	33	54	6	22,5	10	65
775x150	6	90	340	28	44	4,5	10,5	10	65
775x275	12	170	690	30	47	5,4	19,6	10	65
775x400	18	260	1030	33	54	6	22,5	10	65
900x150	7	100	400	28	44	4,5	10,5	10	65
900x275	14	200	800	30	47	5,4	19,6	10	65
900x400	21	300	1200	33	54	6	22,5	10	65
1025x150	8	110	460	28	44	4,5	10,5	10	65
1025x275	16	230	920	30	47	5,4	19,6	10	65
1025x400	24	340	1370	33	54	6	22,5	10	65

PRECIOS | PRICES

									
BxH	Boquillas para difusor Nozzles for diffuser	Filas boquillas Nozzles file	GURG	SC	CT	PBZ1	PBZ11	PBZ2	PBZ12
mm	Nº	Nº	€	€	€	€	€	€	€
275x150	2	1							
275x275	4	2							
275x400	6	3							
400x150	3	1							
400x275	6	2							
400x400	9	3							
525x150	4	1							
525x275	8	2							
525x400	12	3							
650x150	5	1							
650x275	10	2							
650x400	15	3							
775x150	6	1							
775x275	12	2							
775x400	18	3							
900x150	7	1							
900x275	14	2							
900x400	21	3							
1025x150	8	1							
1025x275	16	2							
1025x400	24	3							